



HULL SIDE

WV 200g/m² +45°
UC 300g/m² -45°
UC 300g/m² -45°
UC 200g/m² 0°
UC 200g/m² 90°
Core adhesive 100 g/m²
Nomex 30 mm
Core adhesive 100 g/m²
UC 200g/m² 90°
UC 200g/m² 0°
UC 200g/m² +45°
UC 300g/m² -45°
Panel Weight 7.4kg/m²

HULL BOT. AFT

WV 200g/m² +45°
UC 200g/m² -45°
UC 200g/m² 0°
UC 200g/m² 90°
UC 300g/m² 0°
Core adhesive 100 g/m²
Nomex 30 mm
Core adhesive 100 g/m²
UC 200g/m² 0°
UC 300g/m² 90°
UC 300g/m² 0°
UC 200g/m² +45°
UC 200g/m² -45°
Panel Weight 8.6kg/m²

KEEL AREA

2x
WV 200g/m² +45°
UC 300g/m² -45°
UC 300g/m² -45°
UC 200g/m² 0°
UC 200g/m² 90°
UC 200g/m² 90°
UC 200g/m² 0°
UC 300g/m² +45°
UC 300g/m² -45°
Panel Weight 15kg/m²

HULL BOT. FWD

WV 200g/m² +45°
UC 350g/m² -45°
UC 350g/m² -45°
UC 200g/m² 0°
UC 200g/m² 90°
UC 300g/m² 0°
Core adhesive 100 g/m²
Corecell 30 mm
Core adhesive 100 g/m²
UC 200g/m² 90°
UC 200g/m² 0°
UC 300g/m² 90°
UC 300g/m² 0°
UC 300g/m² +45°
UC 300g/m² -45°
Panel Weight 11kg/m²

BHD

BHD PANELS
UC 300g/m² +45°
UC 300g/m² -45°
UC 200g/m² 0°
UC 200g/m² 90°
Core adhesive 100 g/m²
Core 30 mm
Core adhesive 100 g/m²
UC 200g/m² 90°
UC 200g/m² 0°
UC 200g/m² +45°
UC 300g/m² -45°
Panel Weight 6.5kg/m²

DECK COCKPIT

Deck etc...
WV 150g/m² +45°
UC 150g/m² -45°
UC 150g/m² 0°
UC 150g/m² 90°
Core adhesive 100 g/m²
Core 30 mm
Core adhesive 100 g/m²
UC 200g/m² 90°
UC 200g/m² 0°
UC 150g/m² +45°
UC 150g/m² -45°
Panel Weight 5.7kg/m²

DECK COCKPIT

Deck etc...
WV 150g/m² +45°
UC 150g/m² -45°
UC 150g/m² 0°
UC 150g/m² 90°
Core adhesive 100 g/m²
Core 30 mm
Core adhesive 100 g/m²
UC 200g/m² 90°
UC 200g/m² 0°
UC 150g/m² +45°
UC 150g/m² -45°
Panel Weight 5.7kg/m²

DECK UD TAPE

WV 150g/m²
9 x UC 300g/m² 0°



Project VO70

Laminate Schedule VO70-LS1

Printed 20.04.2004
Scale 1:60

n.tech@laposte.net